



Candle Grade 49mmø Selection of the most appropriate grade of candle allows filter performance to be matched to the requirements of the local water conditions		Sterasyl [®]	Super Sterasyl®	Ultra Sterasyl [®]	Chlorasyl [®]	Ultracarb®	BioTect Ultra®
		Silver impregnated ceramic microfilter	Sterasyl® microfilter plus granular activated carbon	Sterasyl® microfilter plus granular activated carbon and lead removal media	Sterasyt® microfilter plus carbon block core	Sterasyl® microfilter plus carbon block core and lead removal media	Sterasyl® microfilter plus carbon block core and heavy metals removal media
Filtration Rating (% particulate filtration	on efficiency) Absolute (defined as >99.99%) Nominal (defined as >99.9%)	0.9 micron 0.5 to 0.8 micron	0.9 micron 0.5 to 0.8 micron	0.9 micron 0.5 to 0.8 micron	0.9 micron 0.5 to 0.8 micron	0.9 micron 0.5 to 0.8 micron	0.9 micron 0.5 to 0.8 micron
Working Pressure (for pressure filter	use) Minimum Maximum	10 psi 125 psi	10 psi 125 psi	N/A N/A	10 psi 125 psi	10 psi 125 psi	10 psi 125 psi
Working Parameters	Working temperature range Working pH range Suitable for use in Gravity filters Recommended change frequency	5 – 30 (°C) 5.5 – 9.5 Yes 12 months	5 – 30 (°C) 5.5 – 9.5 Yes 6 months	5 – 30 (°C) 5.5 – 9.5 Yes 6 months	5 – 30 (°C) 5.5 – 9.5 N/A 6 months	5 – 30 (°C) 5.5 – 9.5 N/A 6 months	5 – 30 (°C) 5.5 – 9.5 N/A 6 months
Flow Rate Unrestricted Flow at 3 Bar Pressure up t To achieve maximum performance	io Litres per minute US gallons per minute Litres per minute US gallons per minute	5 1.33 N/A N/A	4.5 1.2 1.2 Vhr under gravity 0.3 g/hr under gravity	N/A N/A 1.2 I/hr under gravity 0.3 g/hr under gravity	3.7 1 1.9 0.5	3.3 0.9 1.9 0.5	3.3 0.9 1.9 0.5
Capacity Before replacement to guarantee performance	Litres US gallons	10,000 2600	2000 535	1500 400	3800 1000	2300 600	2300 600
Quality Approval	WRAS approved Turbidity reduction	YES >98%	YES >98%	NO >98%	NO >98%	YES >98%	‡PENDING >98%
Pathogenic Organisms % Bacteria Removal* % Cyst Removal	E. Coli / Cholera / Shigella / Typhoid / Klebsiella Terrigena Cryptosporidium Giardia	>99.99% >99.99% >99.99%	>99.99% >99.99% >99.99%	>99.99% >99.99% >99.99%	>99.99% >99.99% >99.99%	>99.99% >99.99% >99.99%	>99.99% >99.99% >99.99%
Trace Organics Removal Insecticides Herbicides Phenols Polyaromatic Hydrocarbons Trihalomethanes	Lindane @ 0.1 ppb presence Atrazine @ 1.2 ppb presence TCP @ 1.2 ppb presence PAHs @ 0.2 ppb presence Chloroform @ 150 ppb presence	N/A N/A N/A N/A N/A	NO DATA NO DATA NO DATA NO DATA NO DATA	NO DATA NO DATA NO DATA NO DATA NO DATA	NO DATA NO DATA NO DATA NO DATA NO DATA	>85% >85% >50% >95% >50%	>85% >85% >50% >95% >50%
Enhanced Organics Removal Lindane Atrazine Benzene	≥2ppb presence ≥9ppb presence ≥15ppb presence	N/A N/A N/A	>99% >99% >99%^	>99% >99% >99%^	Ave 95% N/A Ave 87%	N/A N/A N/A	Ave 70% Ave 90% Ave 87%
Inorganics Removal Free Chlorine Removal	2ppm presence to NSF Class 1 Std 42	N/A	Under Gravity >99% Under Pressure >50%	>99% under gravity	>97%	94.2%	†>96%
Monochloramine Reduction	3ppm presence 2ppm presence	N/A N/A	N/A N/A	N/A N/A	Ave 95% (600 USG) N/A	N/A N/A	N/A Ave 64%
Heavy Metals Removal Lead reduction pH6.5 Lead reduction pH8.5 Mercury reduction pH6.5 Cadmium reduction pH 6.5	@ 150ppb presence to NSF Std 53 @ 150ppb presence to NSF Std 53 @ 6ppb presence @ 30ppb presence	N/A N/A N/A N/A	N/A N/A N/A N/A	>94% under gravity† N/A N/A N/A	N/A N/A N/A N/A	97.3% 99.5% N/A N//A	98.9% †99.1% Ave 90% Ave 95%

Scale Inhibition

Slow release scale inhibition available with Ultracarb SI® and BioTect Ultra SI® ceramic filter candles.

State restrictions may limit the availability of certain products in California, Iowa and Wisconsin. For product availability in these States please refer to our website: www.doulton.com



[†] Internally generated test data. ‡ Under approval process.

^{*}Ceramics tested in HIS filter housing with a minimum of 5 log/100mls influent challenge.

[^]Tested as Hexachlorobenzene